

EAST Search History

EAST Search History (Prior Art)

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--|---|------------------|---------|---------------------|
| L5 | 1 | 10/014153 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/29 13:42 |
| L6 | 1 | messag\$4 adj3 load and 5 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/29 13:42 |
| L7 | 3 | messag\$4 adj3 load same rach | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/29 13:44 |
| L8 | 2 | messag\$4 adj3 load same hardware adj3 requirement\$1 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/29 13:44 |
| L9 | 2 | messag\$4 adj3 load near20 rach | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/29 13:45 |
| L10 | 0 | messag\$4 adj3 load same access adj3 burst | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/29 13:45 |
| L11 | 19 | messag\$4 adj3 load and access adj3 burst | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/29 13:46 |
| L12 | 0 | messag\$4 adj3 load and variable adj3 length near20 access adj3 burst | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/29 13:46 |

| | | | | | | |
|-----|-------|--|---|----|----|---------------------|
| L13 | 11 | variable adj3 length near20 access adj3 burst | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/29 13:46 |
| L14 | 5 | variable adj3 length near20 access adj3 burst and load\$4 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/29 13:46 |
| L15 | 1505 | variable adj3 (length size) near20 slot (access adj3 burst) and messag\$4 adj3 load\$4 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/29 13:48 |
| L16 | 14 | variable adj3 (length size) near20 (slot (access adj3 burst)) and messag\$4 adj3 load\$4 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/29 13:48 |
| S1 | 164 | allow\$4 with access\$4 with slot\$1 with random | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/27 16:52 |
| S2 | 35 | (sett\$4 defin\$4 assign\$4 allocat\$4 predetermin\$4) with S1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/27 16:55 |
| S3 | 10 | S2 and @ad<="19990526" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/27 16:55 |
| S4 | 18024 | prach aich rac rach | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/28 09:47 |
| S5 | 38 | (allow\$4 near20 (timeslot\$1 slot\$1)) near20 S4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/28 09:47 |
| S6 | 8 | S5 and @ad<="19990526" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/28 09:48 |

| | | | | | | |
|-----|-------|--|---|----|----|---------------------|
| S7 | 25164 | prach aich rac rach bch | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/28 10:00 |
| S8 | 6649 | S7 and @ad<="19990526" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/28 10:00 |
| S9 | 879 | S7 and wodma | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/28 10:00 |
| S10 | 15 | S9 and @ad<="19990526" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/28 10:00 |
| S11 | 25164 | prach aich rac rach bch | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/28 13:52 |
| S12 | 927 | S11 and (wodma utms) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/28 13:52 |
| S13 | 25 | S12 and @ad<="19990526" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/28 13:52 |
| S14 | 40 | ("20020089957" "20040008658" "5526357" "5541924" "5673259" "5694391" "5752193" "5822359" "5883887" "6073018" "6285662" "6314081" "6330459" "6373833" "6393047" "6438375" "6567482" "6643275" "6643275" "6724813" "6836469").PN. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/28 14:38 |
| S15 | 20 | ("20020089957" "20040008658" "5526357" "5541924" "5673259" "5694391" "5752193" "5822359" "5883887" "6073018" "6285662" "6314081" "6330459" "6373833" "6393047" "6438375" "6567482" "6643275" "6643275" "6724813" "6836469").PN. | US-PGPUB; USPAT | OR | ON | 2009/05/28 14:38 |
| S16 | 18 | S15 and @ad<="19990526" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/28 14:39 |
| S17 | 4 | ("4630264" "4817089" "5131010" "6144645").PN. | US-PGPUB; USPAT; USOCR | OR | ON | 2009/05/28 16:29 |

| | | | | | | |
|-----|------|--|---|----|----|---------------------|
| S18 | 3907 | random\$2 near20 (select\$4 choos\$4 assign\$4 allocat\$4) near20 (timeslot\$1 slot\$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/28 16:54 |
| S19 | 54 | S18 and S12 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/28 16:54 |
| S20 | 4 | S19 and @ad<="19990526" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/28 16:54 |
| S21 | 634 | random\$2 near20 (select\$4 choos\$4 assign\$4 allocat\$4) near20 (timeslot\$1 slot\$1) near20 access\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/28 16:58 |
| S22 | 149 | S21 and S11 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/28 16:59 |
| S23 | 20 | S22 and @ad<="19990526" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/28 16:59 |
| S24 | 2 | "5420864".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/29 10:24 |
| S25 | 11 | 08/847655 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/06/02 09:00 |
| S26 | 12 | 08/733501 | US-PGPUB; USPAT | OR | ON | 2009/06/02 09:00 |
| S27 | 12 | S25 S26 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/06/02 09:00 |
| S28 | 1 | 10/014153 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/06/02 10:23 |
| S29 | 1 | S28 and allow\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/06/02 10:23 |

| | | | | | | |
|-----|-------|---|---|----|----|---------------------|
| S30 | 7706 | (allow\$4 assign\$4 allocat\$4 (pre adj3 (register\$4 determin\$4))) near20 access\$4 near4 slot\$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/06/02 10:51 |
| S31 | 213 | wcdma and S30 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/06/02 10:51 |
| S32 | 25178 | prach aich rac rach bch | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/06/02 10:51 |
| S33 | 328 | S32 and S30 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/06/02 10:51 |
| S34 | 11124 | (set\$4 defin\$4 allow\$4 assign\$4 allocat\$4 (pre adj3 (register\$4 determin\$4))) near20 access\$4 near4 slot\$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/06/02 10:52 |
| S35 | 431 | S34 and S32 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/06/02 10:52 |
| S36 | 57 | wcdma and S35 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/06/02 10:52 |
| S37 | 3 | S36 and @ad<="19990526" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/06/02 10:53 |
| S38 | 8427 | (designat\$4 reserv\$4 allow\$4 assign\$4 allocat\$4 (pre adj3 (register\$4 determin\$4))) near20 access\$4 near4 slot\$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/06/02 11:54 |
| S39 | 11751 | (designat\$4 reserv\$4 set\$4 defin\$4 allow\$4 assign\$4 allocat\$4 (pre adj3 (register\$4 determin\$4))) near20 access\$4 near4 slot\$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/06/02 11:54 |
| S40 | 465 | S39 and S32 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/06/02 11:55 |

| | | | | | | |
|-----|-------|--|---|----|-----|---------------------|
| S41 | 66 | wcdma and S40 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/06/02 11:55 |
| S42 | 3 | S41 and @ad<="19990526" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/06/02 11:55 |
| S43 | 2 | random\$2 near20 select\$4 near20 (time timeslot (time adj1 slot)) near20 preamble near20 need\$3 near20 transmit\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/06/03 08:42 |
| S44 | 22667 | ((370/320,328,335,342,348- 350,395.4,450,458-459,461- 462,509,512,514) or (375/134,137,145,149,)).CCLS. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/06/03 10:05 |
| S45 | 25178 | prach aich rac rach bch | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/06/03 10:06 |
| S46 | 906 | S44 and S45 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/06/03 10:06 |
| S47 | 11124 | (set\$4 defin\$4 allow\$4 assign\$4 allocat \$4 (pre adj3 (register\$4 determin\$4))) near20 access\$4 near4 slot\$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/06/03 10:06 |
| S48 | 431 | S47 and S45 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/06/03 10:06 |
| S49 | 130 | S46 and S48 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/06/03 10:06 |
| S50 | 11751 | (designat\$4 reserv\$4 set\$4 defin\$4 allow \$4 assign\$4 allocat\$4 (pre adj3 (register \$4 determin\$4))) near20 access\$4 near4 slot\$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/06/03 10:07 |
| S51 | 130 | S49 and S50 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/06/03 10:07 |

| | | | | | | |
|-----|-------|--|---|----|----|---------------------|
| S52 | 18 | wcdma and S51 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/06/03 10:07 |
| S53 | 189 | allow\$4 with access\$4 with slot\$1 with random | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/29 11:33 |
| S54 | 37 | (sett\$4 defin\$4 assign\$4 allocat\$4 predetermin\$4) with S53 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/29 11:33 |
| S55 | 10 | S54 and @ad<="19990526" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/29 11:33 |
| S56 | 19916 | prach aich rac rach | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/29 11:33 |
| S57 | 46 | (allow\$4 near20 (timeslot\$1 slot\$1)) near20 S56 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/29 11:33 |
| S58 | 8 | S57 and @ad<="19990526" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/29 11:33 |
| S59 | 27678 | prach aich rac rach bch | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/29 11:33 |
| S60 | 6651 | S59 and @ad<="19990526" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/29 11:33 |
| S61 | 1130 | S59 and wcdma | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/29 11:33 |
| S62 | 15 | S61 and @ad<="19990526" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/29 11:33 |

| | | | | | | |
|-----|-------|--|---|----|----|---------------------|
| S63 | 27678 | prach aich rac rach bch | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/29 11:33 |
| S64 | 1184 | S63 and (wcdma utms) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/29 11:33 |
| S65 | 25 | S64 and @ad<="19990526" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/29 11:33 |
| S66 | 40 | ("20020089957" "20040008658" "5526357" "5541924" "5673259" "5694391" "5752193" "5822359" "5883887" "6073018" "6285662" "6314081" "6330459" "6373833" "6393047" "6438375" "6567482" "6643275" "6643275" "6724813" "6836469").PN. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/29 11:33 |
| S67 | 20 | ("20020089957" "20040008658" "5526357" "5541924" "5673259" "5694391" "5752193" "5822359" "5883887" "6073018" "6285662" "6314081" "6330459" "6373833" "6393047" "6438375" "6567482" "6643275" "6643275" "6724813" "6836469").PN. | US-PGPUB; USPAT | OR | ON | 2010/01/29 11:33 |
| S68 | 18 | S67 and @ad<="19990526" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/29 11:33 |
| S69 | 4 | ("4630264" "4817089" "5131010" "6144645").PN. | US-PGPUB; USPAT; USOCR | OR | ON | 2010/01/29 11:33 |
| S70 | 4311 | random\$2 near20 (select\$4 choos\$4 assign\$4 allocat\$4) near20 (timeslot\$1 slot\$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/29 11:33 |
| S71 | 74 | S70 and S64 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/29 11:33 |
| S72 | 4 | S71 and @ad<="19990526" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/29 11:33 |
| S73 | 718 | random\$2 near20 (select\$4 choos\$4 assign\$4 allocat\$4) near20 (timeslot\$1 slot\$1) near20 access\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/29 11:33 |

| | | | | | | |
|-----|-------|--|---|----|----|---------------------|
| S74 | 188 | S73 and S63 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/29 11:33 |
| S75 | 20 | S74 and @ad<="19990526" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/29 11:33 |
| S76 | 2 | "5420864".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/29 11:33 |
| S77 | 11 | 08/847655 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/29 11:33 |
| S78 | 12 | 08/733501 | US-PGPUB; USPAT | OR | ON | 2010/01/29 11:33 |
| S79 | 12 | S77 S78 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/29 11:33 |
| S80 | 1 | 10/014153 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/29 11:33 |
| S81 | 1 | S80 and allow\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/29 11:33 |
| S82 | 8320 | (allow\$4 assign\$4 allocat\$4 (pre adj3 (register\$4 determin\$4))) near20 access \$4 near4 slot\$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/29 11:33 |
| S83 | 254 | wcdma and S82 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/29 11:33 |
| S84 | 27678 | prach aich rac rach bch | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/29 11:33 |
| S85 | 365 | S84 and S82 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/29 11:33 |

| | | | | | | |
|-----|-------|---|---|----|-----|---------------------|
| S86 | 11915 | (set\$4 defin\$4 allow\$4 assign\$4 allocat\$4 (pre adj3 (register\$4 determin\$4))) near20 access\$4 near4 slot\$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/29 11:33 |
| S87 | 478 | S86 and S84 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/29 11:33 |
| S88 | 71 | wcdma and S87 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/29 11:33 |
| S89 | 3 | S88 and @ad<="19990526" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/29 11:33 |
| S90 | 9081 | (designat\$4 reserv\$4 allow\$4 assign\$4 allocat\$4 (pre adj3 (register\$4 determin\$4))) near20 access\$4 near4 slot\$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/29 11:33 |
| S91 | 12577 | (designat\$4 reserv\$4 set\$4 defin\$4 allow\$4 assign\$4 allocat\$4 (pre adj3 (register\$4 determin\$4))) near20 access\$4 near4 slot\$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/29 11:33 |
| S92 | 516 | S91 and S84 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/29 11:33 |
| S93 | 84 | wcdma and S92 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/29 11:33 |
| S94 | 3 | S93 and @ad<="19990526" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/29 11:33 |
| S95 | 2 | random\$2 near20 select\$4 near20 (time timeslot (time adj1 slot)) near20 preamble near20 need\$3 near20 transmit\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/29 11:33 |
| S96 | 24499 | ((370/320,328,335,342,348-350,395.4,450,458-459,461-462,509,512,514) or (375/134,137,145,149,)).CCLS. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/01/29 11:33 |

| | | | | | | |
|------|-------|--|---|----|-----|---------------------|
| S97 | 27678 | prach aich rac rach bch | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/29 11:33 |
| S98 | 1056 | S96 and S97 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/29 11:33 |
| S99 | 11915 | (set\$4 defin\$4 allow\$4 assign\$4 allocat \$4 (pre adj3 (register\$4 determin\$4))) near20 access\$4 near4 slot\$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/29 11:33 |
| S100 | 478 | S99 and S97 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/29 11:33 |
| S101 | 145 | S98 and S100 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/29 11:33 |
| S102 | 12577 | (designat\$4 reserv\$4 set\$4 defin\$4 allow \$4 assign\$4 allocat\$4 (pre adj3 (register \$4 determin\$4))) near20 access\$4 near4 slot\$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/29 11:33 |
| S103 | 145 | S101 and S102 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/29 11:33 |
| S104 | 24 | wcdma and S103 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/29 11:33 |
| S105 | 3 | ((("6169759") or ("6285662") or ("6574212")).PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2010/01/29 12:15 |
| S106 | 4 | ((("6169759") or ("6285662") or ("6574212") or ("6567482")).PN. | USPAT | OR | OFF | 2010/01/29 12:23 |
| S107 | 164 | rach same dynamic\$6 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/29 12:34 |
| S108 | 30 | S107 and @ad<="19990526" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/29 12:34 |

| | | | | | | |
|------|---|-----------------|---|----|----|---------------------|
| S109 | 3 | S106 and length | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/29 12:34 |
|------|---|-----------------|---|----|----|---------------------|

1/ 29/ 2010 2:33:58 PM

C:\ Documents and Settings\ pnguyen3\ My Documents\ EAST\ Workspaces\ 10014153.wsp